

United Nations project (**RFP 3100005138**) for Provision of technical assistance for building up integrated monitoring and early warning forest fires detection system in the Borjomi - Kharagauli National Park by innovative remote sensing tools, in Georgia

**Assignment:** *Activity 2.3 Design of the integrated monitoring and early warning forest fires detection system for the Borjomi - Kharagauli National Park*

---

# Integrated monitoring and early warning forest fires detection system implementation project

**Assignment:**

**Activity 2.3** Design of the integrated monitoring and early warning forest fires detection system for the Borjomi - Kharagauli National Park

---

## Contents

1. Executive Summary.....	4
1.1. Project Overview.....	4
2. Assignment Objectives.....	5
2.1. Activity 2.3: Assignment Objectives.....	5
3. Vision of system design development .....	6
3.1. System Design Overview.....	6
4. Data Acquisition Layer .....	6
4.1. Data Acquisition Layer Components.....	7
4.1.1. The mast location.....	7
5. Processing and Analysis Layer.....	8
5.1. Central Management software for system.....	9
5.1.1. functional capabilities of system design .....	9
5.1.2. Non-functional capabilities of system design .....	10
6. User Interface Layer .....	11
7. Communication Layer .....	12
8. Storage Layer .....	13
9. Additional Recommendations for implementation .....	13
10. Risk Assessment for integrated monitoring and early warning forest fires detection system.....	14
10.1. Identify Risks .....	14
10.2. Assess Likelihood and Impact .....	14
10.3. Mitigation Strategies.....	14
10.4. Contingency Plans .....	15
10.5. Monitoring and Review.....	15
11. System design Capabilities.....	16
11.1. Video Feed Collection .....	16
11.2. Weather Data Collection.....	19
11.3. Potentially dangerous object detection.....	24
11.4. Event Center.....	26
11.5. Internal System Communication.....	29
11.6. Video Patrolling Representation Formats.....	30
11.7. Real Time Measurement.....	37

12.	Technical Requirements.....	41
12.1.	Camera for Video Feed Collection .....	42
12.2.	AXIS Q6075-E PTZ Network Camera .....	43
12.3.	Uniview IPC6622SR-X33-VF, 2MP 33x Lighthunter Network PTZ Dome Camera .....	44
13.	System implementation Action Plan.....	45
14.	Assignment Summary .....	45

**Table of Figures:**

Figure 1 - Camera mast location.....	8
Figure 2 – Camera Monitoring area 1 (from 360 Degree) .....	19
Figure 3 - Camera Monitoring area 3 (from 360 Degree) .....	20
Figure 4 - Wind direction and speed (M/S) .....	21
Figure 5 - Intensity of atmospheric precipitation (MM/C).....	22
Figure 6 - Air humidification – Rain (MM) .....	24
Figure 7 - Air temperature at a height of 2 meters (Celsius) .....	25
Figure 8 - Potentially dangerous object detected – Alert in the Map.....	26
Figure 9 - Potentially dangerous object detected – Real-time View.....	27
Figure 10 – Alerts Archive – Video Format .....	29
Figure 11 – Alerts Archive by time periods and Distance to the Object – Image Format .....	29
Figure 12 – Real Time Conversation between Operators .....	30
Figure 13 - Figure 14 – Real Time Conversation between Operators and System – Fire Detected Alert ....	31
Figure 15 – Free Map .....	32
Figure 16 – OpenStreet Map .....	33
Figure 17 – Open TopoMap.....	34
Figure 18 – Bing OrthoPhoto.....	35
Figure 19 – ESRI OrthoPhoto .....	36
Figure 20 – Google Ortho photo .....	37
Figure 21 – Google Height Map.....	38
Figure 22 – Types of measurement in the system.....	39
Figure 23 - Measure Distance to the potential fire Alert.....	39
Figure 24 - Measure Area under the risk from the potential fire Alert .....	40
Figure 25 - Measure Coordinates of the potential fire Alert .....	41
Figure 26 - Vector of Direction to the potential fire Alert .....	42

## 1. Executive Summary

### 1.1. Project Overview

This initiative, undertaken by the International Business and Economic Development Center (IBEDC) under a contract with the United Nations, seeks to enhance forest fire management using innovative remote sensing tools.

The objective of this project (Integrated monitoring and early warning forest fires detection system implementation project) is to implement a Monitoring and Early Detection System for Forest and Landscape Fires. The system is designed to enhance early detection capabilities, provide real-time monitoring, and facilitate quick response to potential fire incidents. The system will be installed on the Customer's local server and will provide secure access to authorized users through a web interface.

#### Key Objectives

- Develop an integrated monitoring and early warning system for forest fires.
- Utilize innovative remote sensing tools to enhance fire detection capabilities.
- Establish a standard operating procedure for the system's use.
- Train personnel on the new system for effective implementation.

#### Document purpose

In the current document (*Activity 2.3 Design of the integrated monitoring and early warning forest fires detection system for the Borjomi - Kharagauli National Park – System Design* in the following text) IBEDC proposes the integrated monitoring and early warning forest fires detection system (**System in the following document**) project design for the Borjomi-Kharagauli National Park.

It is a critical initiative aimed at enhancing fire management capabilities using state-of-the-art remote sensing tools. With robust plan and experienced personnel, the IBEDC is well-positioned to successfully implement this project, providing significant benefits to the park's management and local communities.

#### Stakeholder Analysis

- **United Nations (UN):** Client, providing oversight and ensuring project aligns with global standards and protocols;
- **International Business and Economic Development Center (IBEDC):** Contractor responsible for project execution;
- **LEPL The Agency of Protected Areas** (<http://apa.gov.ge/en>) of Ministry of Environment and Natural Resources Protection of Georgia Protected Areas - **Beneficiary** of the System;
- **Local Authorities and Park Management:** Key stakeholders in the Borjomi-Kharagauli National Park who will utilize and manage the new system;
- **Local Community:** Indirect beneficiaries of enhanced fire detection and management systems.

## 2. Assignment Objectives

### 2.1. Activity 2.3: Assignment Objectives

#### **Activity 2.3: Design the integrated monitoring and early warning forest fires detection system for the Borjomi - Kharagauli National Park**

Once the technology will have been selected by the stakeholder working group, the implementer will design the full architecture of the integrated monitoring and early warning forest fires detection system to be used in Borjomi - Kharagauli National Park.

This will include but no be limited to:

1. all the components that will be requested by type
2. The Spectral Bands
3. The electricity (systems) needs
4. The correlation between the items
5. The way data collection will work
6. Backup solutions
7. Communication channels from the machine to the users
8. Spatial Scale
9. Spatial resolution
10. Data coverage
11. Accuracy coverage
12. And all other functionalities that are part of an integrated monitoring and early warning forest fires detection system for the Borjomi - Kharagauli National Park
13. As well as a list of Specs/Advantages/Limitations

This information will be summarized first with the architecture of the system, then in a report that will provide details about the components and the specificity of the designed system.

### 3. Vision of system design development

By following Activity 2.3 Design of the integrated monitoring and early warning forest fires detection system for the Borjomi - Kharagauli National Park – (System Design) assignment objectives and implementing these Recommendations for implementation, the Integrated Monitoring and Early Warning Forest Fires Detection System should provide a robust, efficient, and user-friendly solution for managing fire risks in the Borjomi-Kharagauli National Park. Regular reviews and updates will ensure the system remains effective and adapts to changing conditions over time.

#### 3.1. System Design Overview

The Integrated Monitoring and Early Warning Forest Fires Detection System will consist of the following main components:

1. Data Acquisition Layer
2. Processing and Analysis Layer
3. User Interface Layer
4. Communication Layer
5. Storage Layer

Let's break down each component and discuss the processes involved

#### 4. Data Acquisition Layer

This layer is responsible for collecting data from various sources, primarily the network of cameras installed throughout the Borjomi-Kharagauli National Park.

This layer will consist of high-resolution video cameras with night vision capabilities installed at strategic locations throughout the Borjomi-Kharagauli National Park. The cameras will be equipped with pan-tilt-zoom (PTZ) capabilities for wider coverage and detailed inspection. They should also have thermal imaging capabilities to detect fires obscured by smoke or foliage.

Processes: **a) Video Feed Collection**

- High-resolution cameras continuously capture video feeds of the monitored area.
- PTZ (Pan-Tilt-Zoom)<sup>1</sup> functionality allows for wider coverage and detailed inspection. ([For more details click Here](#))

---

<sup>1</sup> A pan-tilt-zoom camera (PTZ camera) is a robotic camera capable of panning horizontally (from left to right), tilting vertically (up and down), and zooming (for magnification). PTZ cameras are often positioned at guard posts where active employees may manage them using a remote camera controller.

#### b) Weather Data Collection ([For more details click Here](#))

- Weather stations integrated with the system collect real-time meteorological data, including temperature, humidity, wind speed, and direction.

#### c) Satellite Data Integration

- The system integrates satellite imagery and data to provide a broader perspective on the monitored area.

### 4.1. Data Acquisition Layer Components

Integrated monitoring and early warning fires and smoke detection system consist from the following components:

A metal mast equipped with the following components is placed in the selected place for monitoring forest massifs with the beneficiary ([Details](#))

- 1) Lightening rod;
- 2) Rack cabinet for equipment;
- 3) Independant power supply system built with solar panels;
- 4) Communication system;
- 5) Remote sensing tools – video camera set;
- 6) Video camera for monitoring the tower and adjacent area providing local security;

#### 4.1.1. The mast location

For the purposes of analysis within the scope of the assignment, a potential location was selected with the contract beneficiary at the following coordinates in Abastuman, Zekar Pass:

- Latitude 41.8230806;
- Longitude 42.8486678;

A 6-meter mast will be installed in the selected place, and the visibility of the video camera in the monitoring area will be 3050 hectares.

United Nations project (RFP 3100005138) for Provision of technical assistance for building up integrated monitoring and early warning forest fires detection system in the Borjomi - Kharagauli National Park by innovative remote sensing tools, in Georgia

**Assignment:** Activity 2.3 Design of the integrated monitoring and early warning forest fires detection system for the Borjomi - Kharagauli National Park




Figure 1 - Camera mast location

Recommendations for implementation:

- Implement a robust maintenance schedule for all hardware components to ensure continuous operation.
- Consider using **AI-enabled cameras** with built-in processing capabilities to reduce data transmission load.

## 5. Processing and Analysis Layer

This layer is the core of the system, responsible for analyzing the collected data and detecting potential fire incidents.

This layer will be responsible for real-time video processing and fire detection. It will include AI-based algorithms for smoke detection and fire source visualization. The system should be capable of issuing alarm signals to operators upon fire detection and generating patrol routes for automatic territory inspection.

Processes: a) **Video Analysis** ([For more details click Here](#))

- AI-powered algorithms analyze video feeds in real-time to detect smoke or fire.
- The system compares current images with baseline images to identify anomalies.

c) **Smoke Detection**

- Advanced algorithms process data from smoke detector groups to identify potential fires.
- Determining the location of the fire. Location and indicating it on the map

- Ensuring the accuracy of determining coordinates with visibility from one camera with an error (with an object range of up to 10 km) of no more than 150

#### d) Fire Hazard Calculation

- The system calculates and updates fire hazard classes based on current weather conditions and historical data.

#### e) False Positive Reduction

- Machine learning algorithms continuously improve fire detection accuracy and reduce false alarms.

## 5.1. Central Management software for system

The beneficiary of the system allocates the necessary information technology resources (server, data storage, internal and external communication channels<sup>2</sup>) resources, where the software of the central management system will take place. This program is represented by the following modules:

- 1) Web portal built on the GIS system;
- 2) Full management of video cameras;
- 3) Automatic detection of smoke and fire;
- 4) Determine the distance and mark the point on the map;
- 5) Incident fixation, confirmation;
- 6) Users rights management
- 7) Sharing video cameras;
- 8) Internal messaging;
- 9) Archive;
- 10) Statistics, reports;
- 11) Support to various organizations, multitenant
- 12) Obtaining information from third-party systems

### 5.1.1. functional capabilities of system design

#### 1. Installation and Access:

- The software must be installed on a local server located at the Customer's premises.
- Ensure secure access to the system from any internet-connected location.
- Fully functional access for the Customer's specialists through a secure web interface without additional software installations.

---

<sup>2</sup> [Detailed technical requirements are explained in the document below](#)

- Unlimited concurrent users for the pilot project, with potential limitations during scaling.
  - User identification in the system according to established access rights and statistics collection.
2. **Monitoring and Detection:**
- Video monitoring of the territory with early fire detection capabilities in both automatic and manual modes.
  - Alarm signal issuance to operators upon fire detection.
  - Generation of patrol routes for automatic territory inspection.
  - Automatic saving of video material from inspections and easy user access to the saved materials.
  - Notification mechanisms for detected potential fires.
  - Enlarged display of suspected fire sources and map marking of fire locations.
3. **User Interaction and Control:**
- Detailed video camera viewing and control capabilities.
  - Full access to camera interfaces (orientation and zoom adjustments).
  - Real-time camera orientation information (azimuth) displayed numerically and on a map.
  - Formation and viewing of patrol routes with user access.
  - Time-sharing mode for multiple users on one camera.
  - Online video output to additional monitors.
4. **Map and Statistical Tools:**
- Interactive map integration with real-time updates of camera locations and orientations.
  - Tools for measuring distances and areas on the map.
  - Generation of detailed statistics on communication channel operations.
  - The addition of various map types and terrain diagrams.
5. **Data Handling and Reporting:**
- Real-time and archived video data access.
  - False positive prevention mechanisms.
  - Fire hazard class calculation and display.
  - Comprehensive data recording for system changes and user actions.

### 5.1.2. Non-functional capabilities of system design

1. **Performance:**
- Fire detection speed within 10 seconds.
  - Error margin for fire direction determination (0.05 degrees) and object coordinates (up to 100 m for two cameras).
  - Accurate coordinate determination within a 150 m error for up to 10 km range.
2. **Scalability:**
- Support for an unlimited number of cameras and users.

- High scalability for future expansions.
3. **Reliability:**
    - High system availability and fault tolerance.
    - Robust data storage and retrieval mechanisms.
  4. **Security:**
    - Secure access protocols.
    - User authentication and authorization mechanisms.

Detailed system capabilities described in the [appendix below](#)

Detailed technical requirements [explained in the document below](#)

## 6. User Interface Layer

This layer provides secure access to the system for authorized users through a web-based interface.

This layer will provide a user-friendly web interface for system operators, administrators, and decision-makers. It should support secure access from any internet-connected location, user identification based on established access rights, and real-time weather condition display.

1. **User benefits**
  - User-friendly web interface.
  - Training for customer users on system operation.
  - Regular updates and maintenance support.
  - Real-time weather condition display.

Processes:

### a) User Authentication and Authorization

- Secure login process with multi-factor authentication.
- Role-based access control to manage user permissions.

### b) Real-time Monitoring Dashboard ([For more details click Here](#))

- Display live video feeds from selected cameras.
- Show interactive map with camera locations and orientations ([For more details click Here](#)).
- Present current weather conditions and fire hazard levels. ([For more details click Here](#))

### c) Alert Management ([For more details click Here](#))

- Display alerts for potential fire incidents with enlarged images and map locations.
- Provide tools for operators to verify and respond to alerts.

#### d) Patrol Route Management ([For more details click Here](#))

- Generate and display automatic patrolling routes.
- Allow manual adjustments to routes as needed.

#### e) Reporting and Analytics

- Generate detailed statistics on system performance and incidents.
- Provide tools for custom report creation.
- Early detection system for forest fires Collects information in incident register in video format for their further review and assessment ([For more details click Here](#))

Recommendations for implementation:

- Design an intuitive, user-friendly interface that minimizes training requirements.
- Implement responsive design for access from various devices (desktops, tablets, smartphones).

## 7. Communication Layer

This layer handles all communication between system components and external stakeholders.

Processes:

#### a) Internal System Communication ([For more details click Here](#))

- Manage data flow between cameras, servers, and user interfaces.
- Ensure secure, encrypted communication within the system.

#### b) Alert Notifications ([For more details click Here](#))

- Send automated alerts to relevant personnel via multiple channels (e.g., in-app notifications, SMS, email).

#### c) External Systems Integration

- Facilitate communication with other relevant systems (e.g., local fire departments, emergency services).

Recommendations for implementation:

- Implement redundant communication channels to ensure system reliability.
- Use standardized protocols for easier integration with external systems.

## 8. Storage Layer

This layer manages the storage and retrieval of all system data.

This layer will provide a user-friendly web interface for system operators, administrators, and decision-makers. It should support secure access from any internet-connected location, user identification based on established access rights, and real-time weather condition display.

Processes: a) Video Storage ([For more details click Here](#))

- Efficiently stores and manages video feeds, allowing quick access to historical data.
- Implements data retention policies based on storage capacity and legal requirements.

### b) Metadata Storage

- Store and manage metadata related to incidents, alerts, and system operations.

### c) User Activity Logging

- Records all user actions for auditing and system improvement purposes.

Recommendations for implementation:

- Implement a tiered storage system, with frequently accessed data on faster storage media.
- Ensure regular backups and implement a disaster recovery plan.

## 9. Additional Recommendations for implementation

1. **Scalability:** Design the system architecture to easily accommodate future expansion, both in terms of monitored area and number of users.
2. **Training:** Develop a comprehensive training program for all system users, including hands-on exercises and regular refresher courses.
3. **Continuous Improvement:** Establish a feedback loop with end-users to continuously improve the system based on real-world usage.
4. **Environmental Considerations:** Ensure that the installation and operation of the system have minimal impact on the national park's ecosystem.
5. **Community Engagement:** Develop a program to educate local communities about the system and its benefits, fostering support and cooperation.

6. **Compliance:** Ensure the system adheres to all relevant local and international standards for fire detection and forest management.
7. **Cybersecurity:** Implement robust cybersecurity measures, including regular security audits and penetration testing.

## 10. Risk Assessment for integrated monitoring and early warning forest fires detection system

### 10.1. Identify Risks

Potential risks related to the project. These could include:

- **Technical Risks:**
  - ✓ Camera malfunction or false alarms.
  - ✓ Inadequate coverage due to incorrect camera placement.
  - ✓ Compatibility issues with existing systems.
  - ✓ Challenges in integrating new technologies with existing systems and infrastructure.
- **Operational Risks:**
  - ✓ Insufficient training for system operators;
  - ✓ Ensuring local personnel are adequately trained and can maintain the system post-implementation;
  - ✓ Lack of maintenance procedures.
  - ✓ Communication failures during emergencies.
- **Financial Risks:**
  - ✓ Managing the project within the allocated budget.
- **Environmental Risks:**
  - ✓ Potential impacts of system installation on the national park's ecosystem.
- **Limitation of system:**
  - ✓ Fog - video cameras are in fog, so video cameras do not see the forest area.
  - ✓ Night - night vision cannot work at long distances

### 10.2. Assess Likelihood and Impact

likelihood and impact of each risk:

- **Likelihood:**
  - High: Frequent occurrence.
  - Medium: Possible but not common.
  - Low: Unlikely.
- **Impact:**
  - High: Severe consequences (e.g., loss of life, property damage).
  - Medium: Significant impact (e.g., operational disruptions).
  - Low: Minor impact (e.g., temporary inconvenience).

### 10.3. Mitigation Strategies

Strategies to mitigate identified risks:

- **Technical Mitigations:**
  - Regular camera testing and maintenance.
  - Quality assurance during installation.
  - Backup power supply for cameras.
- **Operational Mitigations:**
  - Comprehensive training for system operators.
  - Comprehensive training programs for local personnel.
  - Scheduled maintenance routines.
  - Redundant communication channels.
  - Detailed project planning and regular monitoring to ensure adherence to budget and timelines.
  - Engagement with local stakeholders to ensure minimal environmental disruption.

### 10.4. Contingency Plans

Contingency plans for high-impact risks:

- **Fire Alarm Failure:**
  - Immediate manual checks by security personnel.
  - Backup communication methods (e.g., phone alerts).
- **False Alarms:**
  - Clear procedures for verifying alarms.
  - Educate users on false alarm handling.

### 10.5. Monitoring and Review

Regularly monitor risks and update the assessment as needed. Adjust mitigation strategies based on operational experiences.


## 11. System design Capabilities

### 11.1. Video Feed Collection

High-resolution cameras continuously capture video feeds of the monitored area

System Displays live video feeds from selected cameras. Show interactive map with camera locations and orientations.

United Nations project (RFP 3100005138) for Provision of technical assistance for building up integrated monitoring and early warning forest fires detection system in the Borjomi - Kharagauli National Park by innovative remote sensing tools, in Georgia  
**Assignment:** Activity 2.3 Design of the integrated monitoring and early warning forest fires detection system for the Borjomi - Kharagauli National Park



United Nations project (RFP 3100005138) for Provision of technical assistance for building up integrated monitoring and early warning forest fires detection system in the Borjomi - Kharagauli National Park by innovative remote sensing tools, in Georgia

**Assignment:** Activity 2.3 Design of the integrated monitoring and early warning forest fires detection system for the Borjomi - Kharagauli National Park



Figure 2 – Camera Monitoring area 1 (from 360 Degree)

United Nations project (RFP 310005138) for Provision of technical assistance for building up integrated monitoring and early warning forest fires detection system in the Borjomi - Kharagauli National Park by innovative remote sensing tools, in Georgia

**Assignment:** Activity 2.3 Design of the integrated monitoring and early warning forest fires detection system for the Borjomi - Kharagauli National Park




Figure 3 - Camera Monitoring area 3 (from 360 Degree)

## 11.2. Weather Data Collection

Weather stations integrated with the system collect real-time meteorological data, including temperature, humidity, wind speed, and direction. System Present current weather conditions and fire hazard levels. Below there are following demonstrations about the Weather in the monitored area:

United Nations project (RFP 3100005138) for Provision of technical assistance for building up integrated monitoring and early warning forest fires detection system in the Borjomi - Kharagauli National Park by innovative remote sensing tools, in Georgia

**Assignment:** Activity 2.3 Design of the integrated monitoring and early warning forest fires detection system for the Borjomi - Kharagauli National Park

- Wind direction and speed
- Intensity of atmospheric precipitation
- Air humidification - rain
- Air temperature at a height of 2 meters



Figure 4 - Wind direction and speed (M/S)

United Nations project (RFP 3100005138) for Provision of technical assistance for building up integrated monitoring and early warning forest fires detection system in the Borjomi - Kharagauli National Park by innovative remote sensing tools, in Georgia


**Assignment:** Activity 2.3 Design of the integrated monitoring and early warning forest fires detection system for the Borjomi - Kharagauli National Park



Figure 5 - Intensity of atmospheric precipitation (MM/C)

United Nations project (RFP 3100005138) for Provision of technical assistance for building up integrated monitoring and early warning forest fires detection system in the Borjomi - Kharagauli National Park by innovative remote sensing tools, in Georgia

**Assignment:** Activity 2.3 Design of the integrated monitoring and early warning forest fires detection system for the Borjomi - Kharagauli National Park



United Nations project (RFP 310005138) for Provision of technical assistance for building up integrated monitoring and early warning forest fires detection system in the Borjomi - Kharagauli National Park by innovative remote sensing tools, in Georgia

**Assignment:** Activity 2.3 Design of the integrated monitoring and early warning forest fires detection system for the Borjomi - Kharagauli National Park




Figure 6 - Air humidification – Rain (MM)

United Nations project (RFP 3100005138) for Provision of technical assistance for building up integrated monitoring and early warning forest fires detection system in the Borjomi - Kharagauli National Park by innovative remote sensing tools, in Georgia

**Assignment:** Activity 2.3 Design of the integrated monitoring and early warning forest fires detection system for the Borjomi - Kharagauli National Park




Figure 7 - Air temperature at a height of 2 meters (Celsius)

### 11.3. Potentially dangerous object detection

AI-powered algorithms analyze video feeds in real-time to detect smoke or fire. The system compares current images with baseline images to identify anomalies as shown in the images below:

United Nations project (RFP 3100005138) for Provision of technical assistance for building up integrated monitoring and early warning forest fires detection system in the Borjomi - Kharagauli National Park by innovative remote sensing tools, in Georgia

**Assignment:** Activity 2.3 Design of the integrated monitoring and early warning forest fires detection system for the Borjomi - Kharagauli National Park





Figure 8 - Potentially dangerous object detected – Alert in the Map



United Nations project (RFP 3100005138) for Provision of technical assistance for building up integrated monitoring and early warning forest fires detection system in the Borjomi - Kharagauli National Park by innovative remote sensing tools, in Georgia

**Assignment:** Activity 2.3 Design of the integrated monitoring and early warning forest fires detection system for the Borjomi - Kharagauli National Park




Figure 9 - Potentially dangerous object detected – Real-time View

Alarm initial Report:



- Condition: Potentially dangerous object detected, Confirmed as a fire
- Type of Alarm: Bonfire
- Source: Tower camera 01
- Area Detection time: 2024-07-03 18:06:10
- Confirmation time: 2024-07-03 18:24:18
- Longitude: 42.8812362909
- Latitude: 41.606795036288
- Nearest cameras: Camera 01
- Distance: 18.7 KM
- Information: Nearest urban district and national park

## 11.4. Event Center

Early detection system for forest fires Collects information in incident register in text and video format for their further review and assessment

United Nations project (RFP 3100005138) for Provision of technical assistance for building up integrated monitoring and early warning forest fires detection system in the Borjomi - Kharagauli National Park by innovative remote sensing tools, in Georgia

**Assignment:** Activity 2.3 Design of the integrated monitoring and early warning forest fires detection system for the Borjomi - Kharagauli National Park



United Nations project (RFP 3100005138) for Provision of technical assistance for building up integrated monitoring and early warning forest fires detection system in the Borjomi - Kharagauli National Park by innovative remote sensing tools, in Georgia

**Assignment:** Activity 2.3 Design of the integrated monitoring and early warning forest fires detection system for the Borjomi - Kharagauli National Park




Figure 10 – Alerts Archive – Video Format




Figure 11 – Alerts Archive by time periods and Distance to the Object – Image Format

United Nations project (RFP 3100005138) for Provision of technical assistance for building up integrated monitoring and early warning forest fires detection system in the Borjomi - Kharagauli National Park by innovative remote sensing tools, in Georgia

**Assignment:** Activity 2.3 Design of the integrated monitoring and early warning forest fires detection system for the Borjomi - Kharagauli National Park

## 11.5. Internal System Communication

System Manages data flow between cameras, servers, and user interfaces. Ensure secure, encrypted communication within the system. Send automated alerts to relevant personnel via multiple channels (e.g., in-app notifications, SMS, email).




Figure 12 – Real Time Conversation between Operators

United Nations project (**RFP 3100005138**) for Provision of technical assistance for building up integrated monitoring and early warning forest fires detection system in the Borjomi - Kharagauli National Park by innovative remote sensing tools, in Georgia  
**Assignment:** Activity 2.3 Design of the integrated monitoring and early warning forest fires detection system for the Borjomi - Kharagauli National Park




Figure 13 - Figure 14 – Real Time Conversation between Operators and System – Fire Detected Alert

## 11.6. Video Patrolling Representation Formats

Video patrolling displayed in the integrated Different Geoformation systems:

1. Free Map
2. Open Street Map
3. Open Topo Map
4. Bing Ortho photo
5. Base map – Yandel
6. ESRI Map Box Ortho Photo
7. Google Ortho Photo
8. Google Height Map




Figure 15 – Free Map

United Nations project (RFP 310005138) for Provision of technical assistance for building up integrated monitoring and early warning forest fires detection system in the Borjomi - Kharagauli National Park by innovative remote sensing tools, in Georgia  
**Assignment:** Activity 2.3 Design of the integrated monitoring and early warning forest fires detection system for the Borjomi - Kharagauli National Park




Figure 16 – OpenStreet Map

United Nations project (RFP 310005138) for Provision of technical assistance for building up integrated monitoring and early warning forest fires detection system in the Borjomi - Kharagauli National Park by innovative remote sensing tools, in Georgia  
**Assignment:** Activity 2.3 Design of the integrated monitoring and early warning forest fires detection system for the Borjomi - Kharagauli National Park




Figure 17 – Open TopoMap

United Nations project (RFP 3100005138) for Provision of technical assistance for building up integrated monitoring and early warning forest fires detection system in the Borjomi - Kharagauli National Park by innovative remote sensing tools, in Georgia

**Assignment:** Activity 2.3 Design of the integrated monitoring and early warning forest fires detection system for the Borjomi - Kharagauli National Park




Figure 18 – Bing OrthoPhoto

United Nations project (RFP 3100005138) for Provision of technical assistance for building up integrated monitoring and early warning forest fires detection system in the Borjomi - Kharagauli National Park by innovative remote sensing tools, in Georgia

**Assignment:** Activity 2.3 Design of the integrated monitoring and early warning forest fires detection system for the Borjomi - Kharagauli National Park




Figure 19 – ESRI OrthoPhoto

United Nations project (RFP 3100005138) for Provision of technical assistance for building up integrated monitoring and early warning forest fires detection system in the Borjomi - Kharagauli National Park by innovative remote sensing tools, in Georgia

**Assignment:** Activity 2.3 Design of the integrated monitoring and early warning forest fires detection system for the Borjomi - Kharagauli National Park




Figure 20 – Google Ortho photo

United Nations project (RFP 310005138) for Provision of technical assistance for building up integrated monitoring and early warning forest fires detection system in the Borjomi - Kharagauli National Park by innovative remote sensing tools, in Georgia

**Assignment:** Activity 2.3 Design of the integrated monitoring and early warning forest fires detection system for the Borjomi - Kharagauli National Park




Figure 21 – Google Height Map

## 11.7. Real Time Measurement

The system can measure the following parameters in real time:

- Measure Distance
- Measure Area
- Measure Coordinates
- Vector of Direction

United Nations project (RFP 3100005138) for Provision of technical assistance for building up integrated monitoring and early warning forest fires detection system in the Borjomi - Kharagauli National Park by innovative remote sensing tools, in Georgia

**Assignment:** Activity 2.3 Design of the integrated monitoring and early warning forest fires detection system for the Borjomi - Kharagauli National Park




Figure 22 – Types of measurement in the system




Figure 23 - Measure Distance to the potential fire Alert

United Nations project (RFP 310005138) for Provision of technical assistance for building up integrated monitoring and early warning forest fires detection system in the Borjomi - Kharagauli National Park by innovative remote sensing tools, in Georgia

**Assignment:** Activity 2.3 Design of the integrated monitoring and early warning forest fires detection system for the Borjomi - Kharagauli National Park




Figure 24 - Measure Area under the risk from the potential fire Alert

United Nations project (RFP 310005138) for Provision of technical assistance for building up integrated monitoring and early warning forest fires detection system in the Borjomi - Kharagauli National Park by innovative remote sensing tools, in Georgia  
**Assignment:** Activity 2.3 Design of the integrated monitoring and early warning forest fires detection system for the Borjomi - Kharagauli National Park




Figure 25 - Measure Coordinates of the potential fire Alert

United Nations project (RFP 3100005138) for Provision of technical assistance for building up integrated monitoring and early warning forest fires detection system in the Borjomi - Kharagauli National Park by innovative remote sensing tools, in Georgia  
**Assignment:** Activity 2.3 Design of the integrated monitoring and early warning forest fires detection system for the Borjomi - Kharagauli National Park




Figure 26 - Vector of Direction to the potential fire Alert

## 12. Technical Requirements

### Installation Requirements for Cameras

#### 1. Camera Specifications:

- High-resolution video cameras with night vision capabilities.
- Weather-resistant and durable for outdoor conditions.
- **Pan-Tilt-Zoom (PTZ) capabilities<sup>3</sup>:** For wider coverage and detailed inspection.

#### 2. Camera Mounting Mast:

- Sturdy masts with the ability to withstand high winds and harsh weather.
- Proper grounding and lightning protection.

<sup>3</sup> A pan-tilt-zoom camera (PTZ camera) is a robotic camera capable of panning horizontally (from left to right), tilting vertically (up and down), and zooming (for magnification). PTZ cameras are often positioned at guard posts where active employees may manage them using a remote camera controller.

- Adjustable mounts for optimal camera positioning.
3. **Installation Guidelines:**
- Strategic placement to cover maximum area.
  - Height considerations to avoid obstructions and enhance visibility.
  - Secure mounting to prevent vandalism and damage.
  - Sturdy camera mounting masts with appropriate height and adjustability should be installed at designated locations. Consider wind resistance and potential wildlife interference.
  - **Power and Communication:** Reliable power supply (solar or grid) and a stable communication network (wired or wireless) are essential.
4. **Server Hardware Requirements**
- **Processor:** High-performance multi-core CPU.
  - **Memory:** Minimum 32GB RAM.
  - **Storage:** SSDs with a minimum of 2 TB storage, expandable as needed.
  - **Network:** High-speed Ethernet interfaces with redundancy.
  - **Operating System:** OpenSource (GNU, BSD, MIT licenses) or Windows operating system.
5. **Software Requirements**
- **Operating System:** Compatible with Linux distributions or Windows Server.
  - **Database:** Robust and scalable database system (e.g., PostgreSQL, MySQL).
  - **Web Server:** Apache or Nginx.
  - **Application Server:** Suitable for running web applications (e.g., Tomcat, Node.js).
  - **Security:** SSL/TLS for secure communications.
6. **Communication Requirements**
- **Network Infrastructure:**
    - Reliable internet connection for remote access.
    - Internal network setup for secure data transmission.
    - Redundant connections to ensure uninterrupted service.
  - **Protocols:**
    - Secure communication protocols (HTTPS, SSH).
    - Real-time data streaming protocols (RTSP, WebRTC).

## 12.1. Camera for Video Feed Collection

Camera installation Advantages for installation in the integrated monitoring and early warning forest fires detection system:


- less depends on climatic conditions;
- Detection and management are performed in real time;
- It is possible to produce a video/photo history of the forest;
- The technology is well known; the hardware complex is widespread
- It is possible to use appliances from different manufacturers
- It is easy to service the system

- The system is easily expandable

In the proposed system design The following cameras are used for video feed collection:

- AXIS Q6075-E PTZ Network Camera
- Uniview IPC6622SR-X33-VF, 2MP 33x Light Hunter Network PTZ Dome Camera

## 12.2. AXIS Q6075-E PTZ Network Camera



### AXIS Q6075-E PTZ Network Camera

Outdoor-ready PTZ with HDTV 1080p and 40x optical zoom

- ✓ HDTV 1080p with 40x optical zoom
- ✓ Axis Lightfinder 2.0
- ✓ Autotracking 2 and orientation aid
- ✓ Built-in analytics
- ✓ TPM, FIPS 140-2 level 2 certified

**PART NUMBERS**

5-YEAR WARRANTY

AXIS Q6075-E delivers superior video quality in HDTV 1080p and 40x optical zoom for excellent details. It features Axis Lightfinder 2.0 which captures low-light images with more saturated colors and sharper images of moving objects. And, Zipstream with support for H.264 and H.265 preserves all the important forensic detail you need, while significantly lowering bandwidth and storage requirements.

This high-performance outdoor PTZ camera with IP66/67, NEMA 4X, and IK10-ratings is protected from dust, rain, snow and impacts. Arctic temperature control ensures startup from a deeply frozen state and operation in temperatures ranging from -40 °C to 50 °C (-40 °F to 122 °F). Autotracking 2 with click and track functionality and an orientation aid allows for active object tracking and quick orientation. AXIS Q6075-E comes with AXIS Guard Suite analytics for detecting motion, intrusion and loitering. Furthermore, where privacy must be kept, privacy masking with mosaic lets you pixelate whole areas such as a neighboring property.

- For More Details [Click Here](#)

## 12.3. Uniview IPC6622SR-X33-VF, 2MP 33x Lighthunter Network PTZ Dome Camera



### IPC6622SR-X33-VF

2MP 33x Lighthunter Network PTZ Dome Camera

- High quality image with 2MP, 1/2.8" CMOS sensor
- 1920\*1080@60fps in the main stream
- Ultra 265, H.265, H.264, MJPEG
- Triple streams
- 33X Optical Zoom
- Smart intrusion prevention, support false alarm filtering, include Cross Line, Intrusion, Enter Area, Leave Area detection
- People Counting, support people flow counting and crowd density monitoring, suitable for different statistical scenarios
- Lighthunter technology ensures ultra-high image quality in low illumination environment
- Smart IR, up to 150m (492 ft) IR distance
- AC 24V±25%, DC 24V±25% or PoE power supply
- Alarm 2 in and 1 out, Audio 1 in and 1 out
- IP66 ingress protection



The Uniview IPC6622SR-X33-VF is a 33x optical zoom PTZ Dome IP camera that offers 2 megapixel resolution, 33x optical zoom and PTZ Dome IP cam with smart IR and up to 150m (492 ft) IR distance. The camera also has an alarm feature with 2 in/1 out and audio input, as well as a privacy masking function. Additionally, the camera can be attached to a pendant or wall mount.

#### Features

- High quality image with 2MP, 1/2.8" CMOS sensor
- 1920\*1080@60fps in the main stream
- Ultra 265, H.265, H.264, MJPEG
- Triple streams
- 33X Optical Zoom
- Lighthunter technology ensures ultra-high image quality in low illumination environment
- Smart IR, up to 150m (492 ft) IR distance
- AC 24V±25%, DC 24V±25% or PoE power supply
- Alarm 2 in and 1 out, Audio 1 in and 1 out
- IP66 ingress protection
- For More Details [Click Here](#)

## 13. System implementation Action Plan

In order to develop and implement an integrated forest fire detection monitoring and early warning system, the following activities will be implemented:

1. Installation of towers on selected location;
2. Install a lightning conductor on the tower;
3. For the physical safety of the mast and the equipment placed on it, a fence will be built around mast;
4. A rack cabinet for instruments will be installed next to the tower;
5. Will install a power supply system built with solar panels;
6. Remote sensing tools will be installed on the tower - a video camera set;
7. A video camera will be installed on the mast to observe the adjacent territory, providing local security;
8. A network equipment will be install on the mast and in the rack cabinet to provide reliable, high-speed and security connection with Agency datacenter, where will be locate servers infrastructure with control and management software. For reliable connection will be implemented two communication channels:
  - 8.1. Primary channel – Internet connection will be implemented by an Internet Service Provider company: Silknet (<https://silknet.com>) or Magticom (<https://www.magticom.ge>);
  - 8.2. Backup channel - 3G mobile internet connection;
9. For management and control of the integrated monitoring and early warning forest fires detection system will be develop and implement software system – Cental Managemet System

## 14. Assignment Summary

This section presents a brief summary of the Integrated Monitoring and Early Warning Forest Fires Detection System Implementation Project Design for the Borjomi-Kharagauli National Park.

### Project Summary:

**Title:** Integrated Monitoring and Early Warning Forest Fires Detection System (**System**) Design for Borjomi-Kharagauli National Park

**Objective:** To enhance forest fire management in the Borjomi-Kharagauli National Park through the implementation of an advanced, technology-driven early detection and warning system.

### Key Components:

1. **Advanced Remote Sensing:** Utilization of high-resolution cameras and thermal imaging technology for comprehensive coverage of the park area.

2. **AI-Powered Detection:** Implementation of artificial intelligence algorithms to analyze visual and thermal data for early fire detection.
3. **Real-Time Monitoring:** Development of a system that provides continuous, real-time monitoring of the park area.
4. **Rapid Alert System:** Creation of an efficient alert mechanism to notify relevant authorities immediately upon fire detection.
5. **User-Friendly Interface:** Design of a web-based interface for easy access and operation by authorized personnel.
6. **Data Management:** Implementation of robust data storage and retrieval systems for historical analysis and reporting.
7. **Integration with Existing Systems:** Ensuring seamless integration with current park management and emergency response systems.

#### Critical Aspects:

1. **Spatial Analysis:** Careful consideration of the park's topography and vegetation to optimize camera placement and coverage.
2. **Environmental Sensitivity:** Designing the system to have minimal impact on the park's ecosystem during installation and operation.
3. **Scalability:** Ensuring the system can be expanded or adapted for future needs or technological advancements.
4. **Training and Capacity Building:** Comprehensive training program for park staff and relevant authorities to effectively use and maintain the system.
5. **Sustainability:** Implementing energy-efficient solutions and considering renewable energy sources where possible.

#### Expected Outcomes:

1. Significantly reduced response time to potential fire incidents.
2. Increased accuracy in fire detection, minimizing false alarms.
3. Enhanced protection of the park's biodiversity and natural resources.
4. Improved data collection for long-term forest management and fire prevention strategies.
5. Potential for the system to serve as a model for other protected areas in Georgia and beyond.

#### Challenges and Considerations:

1. Ensuring system reliability in various weather conditions and seasons.
2. Managing potential technical difficulties in remote areas of the park.
3. Balancing comprehensive coverage with cost-effectiveness.
4. Addressing any concerns from local communities or environmental groups.

United Nations project (**RFP 3100005138**) for Provision of technical assistance for building up integrated monitoring and early warning forest fires detection system in the Borjomi - Kharagauli National Park by innovative remote sensing tools, in Georgia

**Assignment:** *Activity 2.3 Design of the integrated monitoring and early warning forest fires detection system for the Borjomi - Kharagauli National Park*

---

This System Design project represents a significant step forward in forest fire management for the Borjomi-Kharagauli National Park. By leveraging cutting-edge technology and a comprehensive approach to implementation, this system has the potential to greatly enhance the protection of this valuable natural resource while providing a template for similar initiatives in other protected areas.